

Hunter®





XC marks the spot!

Forget following that winding trail to find an accessible outlet. Hunter Industries' new XC Hybrid Controller brings you the power without the plug. With all the great water management features of the XC Controller, the new XC Hybrid operates DC latching solenoids with battery power. Ready for outdoor or indoor installation, the XC Hybrid comes in 4, 6, 8, 10, and 12 station models, meaning it is your solution for a wide range of residential and commercial applications. Small residential areas, parks, gardens, roadway medians and roundabouts are ready for the XC Hybrid. Presenting Hunter. Unplugged.



Find advance water management control at your fingertips. Compact, user-friendly and battery powered, the XC Hybrid is proof big things come in small packages. Features such as a 365 day calendar, three independent programs (each with four start times), global seasonal adjustment and station-controlled sensors mean saving a little blue and a lot of green. And we've got you covered: With 'Easy Retrieve' memory backup and on-board, non-volatile memory, you've got the assurance to recall all the controller's watering programs. Did we put the XC in 'excellence'? You'll think so.





Same features as the XC controller, but operates on battery power.

XC huberd

EASY DIAL PROGRAMMING

Smooth operator: XC features enhanced dial and push button programming.

GLOBAL SEASONAL ADJUSTMENT (0% TO 150%)

Simple on-screen adjustment modulates watering to accommodate changing weather conditions.

THREE INDEPENDENT PROGRAMS WITH FOUR START TIMES EACH

Enables a wide range of watering requirements. Independence for all.

INDEPENDENT DAY SCHEDULING CHOICE

Max out your watering flexibility.
Select days of the week, true odd/
even or interval watering.

BATTERY OPERATED

Uses 6 AA batteries or an optional 24VAC plugin transformer utilizing DC latching

RUGGEDOUTDOORCABINET DESIGN

Tough guys finish first. Ideal for both indoor and outdoor use, with models in 4, 6, 8, 10 and 12 station configurations.

NON-VOLATILE MEMORY

Excellent insurance against unreliable power; retains current time, day and program data.

WEATHER SENSOR COMPATIBLE

Incorporates hook-up capability to rain, temperature and wind sensors, programmable by station.

EASY-RETRIEVE MEMORY

The ability to retrieve your preferred program, stored in backup memory.

Charts and Specs



SPECIFICATIONBUILDER MODEL XCH FEATURES 400 = 4 Station Indoor/Outdoor Controller 600 = 6 Station Indoor/Outdoor Controller 800 = 8 Station Indoor/Outdoor Controller 1000 = 10 Station Indoor/outdoor Controller 1200 = 12 Station Indoor/outdoor Controller XCH > XCH XCH-600

Wire Chart 18 AWG 500' (152 m) 16 AWG 800' (244 m) 14 AWG 1,300' (396 m)

12 AWG 2,000' (610 m)

