

Hunter®

PRO-SPRAY®

Professional Grade Sprinkler Heads

RESIDENTIAL & COMMERCIAL IRRIGATION
Built on Innovation®



RUGGED-BODIED AND BUILT-TO-LAST

Built for a long, prosperous life in the most rugged irrigation trenches, Hunter Pro-Spray® sprinkler heads are precision engineered to ensure long-lasting, reliable performance in residential and commercial applications.

Available in heights from shrub to 12", Pro-Spray heads feature durable construction that is second to none, exclusive body cap design, which won't leak even when loosened, and a reliable, easily adjustable two-piece ratchet.

Pro-Sprays are compatible with Precision Distribution Control™ Adjustable Nozzles, Pro Fixed Nozzles, and MP Rotators. All

models also include a user-friendly pull-ring flush cap to keep debris and clogging to a minimum. The Hunter Pro-Spray sprinkler head is compatible with all industry standard female nozzles offering a high degree of flexibility.



Shown here: PRS40 shrub, Pro-Spray 2", PRS30 and PRS40 4", Pro-Spray 6", and PRS30 and PRS40 12" sprays



The Pro-Spray® line incorporates a heavy-duty ribbed body and durable cap engineered to withstand the harshest environments.

CO-MOLDED WIPER SEAL

The industry's most rugged wiper seal is co-molded from two types of chemical and chlorine-resistant materials. This pressure-activated, multi-function wiper seal reduces flow-by, operates at low pressures, and allows more sprinkler heads to be installed on the same zone. Its innovative design prevents debris from entering the seal when the riser is retracted, reducing riser stick-ups.



HEAVY-DUTY SPRING

The strongest retraction spring for positive retraction under any conditions



PRO-SPRAY CHECK VALVE

Optional check valves eliminate leaks and puddles at the lower heads, protecting landscapes from damage and erosion while reducing water waste. Choose from the convenience of factory-installed check valves or the flexibility of field installation.

PRESSURE REGULATED TO 30 & 40 PSI

Hunter's pressure regulated pop-up sprays are calibrated for the needs of any installation. Pressure regulation saves water by providing the optimal PSI to create larger water droplets that cut through wind and resist misting. The PRS30 with the brown cap optimizes performance of traditional sprays at 30 PSI. The grey-capped PRS40 is designed for the efficient MP Rotator and is the only 40 PSI regulated pop-up on the market today.



BODY CAP WON'T LEAK UNDER HIGH PRESSURE

The Pro-Spray line incorporates a heavy-duty ribbed body and durable cap engineered to withstand the harshest environments, including the rigors of foot traffic and the abuses of heavy machinery. In addition, a multi-thread buttress design provides superior strength in cap-to-body gripping capacity helping the head to withstand high inlet surge pressures.



Competitor



Pro-Spray

PRO-SPRAY® PROFESSIONAL GRADE SPRINKLER HEADS

Pro-Spray

Designed for professionals, the Pro-Spray is the contractor's choice. Ready for commercial or residential projects, the Pro-Spray is a rugged and reliable sprinkler for versatile applications.

Features

- Application: Residential/Commercial
- Models: Shrub, 2", 3", 4", 6", 12"
- Compatible with all female-threaded nozzles
- Innovative directional flush plug design
- No side inlet (NSI) version available in 6" and 12" models
- Optional check valve available, factory installed
- Warranty period: 5 years on all models

Pro-Spray Reclaimed

Pro-Spray models include optional factory-installed purple reclaimed caps.



Vandal Proof Cap

Specify a Vandal Proof Cap (VPC) on the PRS30 to ensure a secured assembly and deter any unwarranted tampering.



BUILT-IN PRESSURE REGULATION REDUCES MISTING AND SAVES WATER

PRS30

An in-stem 30 PSI regulator provides optimal pressure to reduce water waste. Other features include a factory-installed check valve and the most powerful retraction spring in its class.

PRS30 Features

- Models: Shrub, 4", 6", 12"
- Pressure regulated at 30 PSI
- No side inlet (NSI) version available in 6" and 12"
- Identification cap is brown for easy field ID

PRS40

Calibrated at a consistent 40 PSI, the PRS40 delivers optimal performance and water efficiency when combined with the revolutionary MP Rotator.

PRS40 Features

- Models: Shrub, 4", 6", 12"
- Pressure regulated at 40 PSI
- Identification cap is gray for easy field ID
- 6" and 12" Models come standard as no side inlet ensuring proper installation with check valve
- Drain check valve installed (up to 14 ft. of elevation)



Website hunterindustries.com | **Customer Support** 1-800-383-4747 | **Technical Service** 1-800-733-2823

Helping our customers succeed is what drives us. While our passion for innovation and engineering is built into everything we do, it is our commitment to exceptional support that we hope will keep you in the Hunter family of customers for years to come.

Gregory R. Hunter
Gregory R. Hunter, President of Hunter Industries