

Take Apart Dripper




Pressure Compensation Dripper


- Three flow rates available to meet different requirements. 2L/hr, 4L/hr and 8L/hr
- Working Pressure: 0.5-3.5bar
- Filtration: Above 120mesh.
- Suitable for hedge, Flower garden, Fruit tree and other plantings.
- Simplify the design of a system and significantly reduce the cost of installation and maintenance.

Advantages


- Dripper can facilitate the clearances for cleaning and extend the duration of use. Industry-leading CV performance, the flowing of each dripper is stringently identical.
- Uniform discharges as high efficiency of Pressure Compensation.
- It is produced by Good Quality of Raw plastic material with Anti-corrosion, Anti-UV and Anti-aging.



Pressure (Bar)	Flow (L/hr)
0.7	1.8
1.0	2.2
1.5	2.3
2.0	2.4
2.5	2.2
3.0	2.1
3.5	1.9



[- (-)	-1 (7.11.)
Pressure (Bar)	Flow (L/hr)
0.7	3.5
1.0	4.1
1.5	4.2
2.0	4.3
2.5	4.4
2.3	1.1
3.0	4.1
3.0	1.1
3.5	3.7
3.3	3.7



Pressure (Bar)	Flow (L/hr)
0.7	7.5
1.0	8
1.5	8.5
2.0	8.7
2.5	8.9
3.0	8.5
3.5	8.3



PC Button Dripper




Benefits:

- PC dripper delivers a precise amount of water regardless of changes in pressure due to long rows or change in terrain.
- Simplify the design of a system and significantly reduce the cost of installation and maintenance.
- Easy installation, 3mm to 4mm Barb Connection

Applications:

- PC Working Pressure: 0.5-5.0bar
- Filtration: Above 120mesh.
- Suitable for Hedge, Fruit Garden, Greenhouse, Nurseries and Landscape.
- Flow Rate Options: 8L/hr



Pressure (Bar)	Flow (L/hr)
0.5	7.9
0.7	8.2
1.1	8.2
2.0	8
3.0	8.2
4.0	8.6
5.0	8.7